IN THE CLAIMS

Please amend the claims as follows:

1. (Original) An isolated polynucleotide, which encodes a protein comprising the amino acid sequence of SEQ ID NO:2.

Claim 2. (Cancelled)

- 3. (Original) A vector comprising the isolated polynucleotide of Claim 1.
- 4. (Original) A host cell comprising the isolated polynucleotide of Claim 1.
- 5. (Previously Presented) The host cell of Claim 4, which is a Corynebacterium.
- 6. (Previously Presented) The host cell of Claim 4, wherein said host cell is selected from the group consisting of Corynebacterium glutamicum, Corynebacterium acetoglutamicum, Corynebacterium acetoacidophilum, Corynebacterium melassecola, Corynebacterium thermoaminogenes, and Brevibacterium flavum.

Claims 7-9 (Cancelled).

- 10. (Original) A method for making OxyR transcriptional regulator protein, comprising
- a) culturing the host cell of Claim 4 for a duration of time under conditions suitable for expression of OxyR transcriptional regulator protein; and
 - b) collecting the OxyR transcriptional regulator protein.
 - 11. (Original) An isolated polynucleotide, which comprises SEQ ID NO:1.
- 12. (Currently Amended) An isolated polynucleotide, which is fully complimentary to the coding strand of SEQ ID NO:1 polynucleotide of Claim 11.
- 13. (Currently Amended) An isolated polynucleotide, which is at least 70% 90% identical to SEQ ID NO:1 and encodes a protein with OxyR transcriptional regulator activity.

- 14. (Currently Amended) An isolated polynucleotide, which is at least 80%-95% identical to SEQ ID NO:1 and encodes a protein with OxyR transcriptional regulator activity.
- 15. (Previously Presented) An isolated polynucleotide, which is at least 90% 99% identical to SEQ ID NO:1 and encodes a protein with OxyR transcriptional regulator activity.
- 16. (Currently Amended) An isolated polynucleotide, consisting of a nucleotide sequence selected from the group consisting of at least 15 consecutive nucleotides of nucleotides 1 to 490 of SEQ ID NO:1, at least 15 consecutive nucleotides of the complement of nucleotides 1 to 490 of SEQ ID NO:1, at least 25 consecutive nucleotides of nucleotides 491 to 1471 of SEQ ID NO:1, at least 25 consecutive nucleotides of the complement of nucleotides 491 to 1471 of SEQ ID NO:1, and at least 15 consecutive nucleotides of nucleotides 1472 to 1675 of SEQ ID NO:1, and at least 25 consecutive nucleotides of the complement of nucleotides 1472 to 1675 of SEQ ID NO:1.
- 17. (Currently Amended) An isolated polynucleotide, which hybridizes under stringent conditions to SEQ ID NO: 1; wherein said stringent conditions comprise washing in 2 X SSC at a temperature of from 50 to 68°C which is at least 70% 90% identical to SEQ ID NO:1, and which encodes a protein with OxyR transcriptional regulation activity.

Claim 18 (Cancelled).

- 19. (Original) A vector comprising the isolated polynucleotide of Claim 11.
- 20. (Original) A host cell comprising the isolated polynucleotide of Claim 11.
- 21. (Currently Amended) The host cell of Claim 20, which is a *Corynebacterium Coryneform* bacterium.
- 22. (Previously Presented) The host cell of Claim 20, wherein said host cell is selected from the group consisting of Corynebacterium glutamicum, Corynebacterium acetoglutamicum, Corynebacterium acetoacidophilum, Corynebacterium melassecola, Corynebacterium thermoaminogenes, and Brevibacterium flavum.

Claims 23-25 (Cancelled).

- 26. (Original) A method for making OxyR transcriptional regulator protein, comprising
- a) culturing the host cell of Claim 20 for a duration of time under conditions suitable for expression of OxyR transcriptional regulator protein; and
 - b) collecting the OxyR transcriptional regulator protein.
- 27. (Currently Amended) A *Coryneform* bacterium *Corynebacterium*, which comprises an overexpressed polynucleotide which comprises SEQ ID NO:1, an overexpressed polynucleotide which encodes SEQ ID NO:2, or an overexpressed polynucleotide which comprises a nucleotide sequence that is at least 70%-90% identical to SEQ ID NO:1 and encodes a protein with OxyR transcriptional regulation activity, wherein said overexpression is achieved by increasing the copy number of said polynucleotide or operably linking a promoter to said polynucleotide.
- 28. (Currently Amended) The *Coryneform* bacterium *Corynebacterium* of Claim 27, which comprises the polynucleotide sequence of SEQ ID NO:1.
 - 29. (Original) Corynebacterium glutamicum DSM 13457.

Claims 30-38 (Cancelled).

39. (New) The Corynebacterium of Claim 27, comprising a polynucleotide which encodes SEQ ID NO:2.